

Index

Features

Drive-Away Awnings

Sprint AIR	4
Touring AIR TC	5
Touring AIR	
Cross AIR TC	
Cross AIR	б
Cross AIR TG	7
Action AIR	8
Action	
Trip AIR	9
Trip	9
TailgaterAIR	
Tailgater	
-	

Carpets, Footprints & Inner Tents

Fleece Carpets	11
Footprints	11
Inner tents	11

Technical Data

Sprint AIR	12
Touring AIR TC	12
Touring AIR	
Cross AIR TC	
Cross AIR	13
Cross AIR TG	13
Tailgater AIR	14
Tailgater	14
Cross AIR Annexe	
Action AIR	15
Action	15
Trip AIR	15
Trip	15
Inner Tents	



Multi-Point Inflation

Indicates how many AIR Poles are inflated individually for the simplest set-up and take-down



Cable Entry Points

For added convenience, all awnings have zipped cable entry points for 12V and mains cable access.



SabreLink™ Ready

Attach up to three lights in the living area. Switch the lights on/off and adjust the brightness remotely.



Weathershield™ TC

All the protection of polyester materials with superior comfort. High quality Weathershield™ TC polycotton material allows the tent to breathe, reducing condensation and helping to regulate the interior temperature on hot days.



Weathershield™ 68D

Super lightweight Weathershield[™] 68D offers the fastest set-up, take-down, and a smallest tent pack sizes. Highly weather-resistant, this easy to handle polyester offers exceptional value and protection against UV degradation.



Welcome to Kampa

Experience the joys of being together outdoors with our high-quality, family friendly tents, campervan awnings and outdoor accessories. We believe amazing outdoor experiences should be available for all, whether you're camping for the first time, taking your campervan to the coast or simply enjoying a day out in nature, we have all the equipment to help you make the most of your time outdoors with friends and family.



For more information, visit kampaoutdoors.com

Sprint AIR

Seize the moment

Park up and add shelter outside your campervan in minutes. The Sprint AIR features lightweight Weathershield 68D material and a reliable Kampa AIR Frame. A compact living space is made roomier with the generously sized wet weather entrance.



←900→←1550→←900→











• Width: 2800 mm

• Depth: 1550 mm

• Tunnel width: 2800 mm

• Tunnel depth: 900 mm

• Connection Height: 1800 - 2100 mm

• Height at front: 2000 mm

• Weight: 12.08 kg

• Pack Size: 720 x 320 x 300 mm

Ref. No. 9120001999



Multi-Point Inflation

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Wet Weather Entrance

Provides sheltered access to the awning and prevents rain running in when you unzip the door.



Dual Keder

4 mm and 6 mm keder suitable for campervan and motorhome cassette awnings and awning rail.

Touring AIR TC

Pitch up and stay beside your camper with the Kampa Touring AIR TC driveaway awning. The breathable polycotton fabric reduces condensation and provides excellent comfort in any weather. Inside the awning, you'll find a spacious living area packed with useful features. A mesh front door leads out to an integrated inflatable canopy, perfect for relaxing and prepping meals. Available in a left-hand (L/H) and right-hand (R/H) configuration.



Touring AIR TC


Drive-Away Awning


- Width: 6100 mm
- Depth: 2800 mm
- Tunnel width: 2900 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2100 mm
- Weight: 29.45 kg
- Pack Size: 740 x 480 x 450 mm

LH Model

Ref. No. 9120002167







Touring AIR

Designed to sit alongside your camper van, the Kampa Touring AIR provides the maximum amount of space without extending beyond your pitch. Inside you'll find a spacious living area, full-height windows, plenty of mesh ventilation and a large four berth inner tent, all supplied as standard. Available in a left-hand (L/H) and right-hand (R/H) configuration.



Touring AIR

Drive-Away Awning




- Depth: 2800 mm
- Tunnel width: 2900 mm • Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2100 mm
- Weight: 22.19kg
- Pack Size: 780 x 410 x 410 mm

LH Model

Ref. No. 9120002169

Ref. No. 9120002170



Follow us on:









Explore the full range at kampaoutdoors.com



Multi-Point Inflation

RH Model

Ref. No. 9120002168

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Mesh Doors

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather.



Darkened Bedrooms

Inner tents use dark materials to block out early morning sunlight for a good night's sleep.



Cross AIR

For big adventures


Utilizing the convenience of the innovative Kampa AIR Frame, Cross AIR's steep walls provide a spacious living area. The cleverly designed front panel incorporates a 'D' door that can be half or fully rolled back, while cover from a large canopy provides weather protected access. The Cross AIR comes with a clip-in groundsheet, windows with blinds for privacy, and a mesh panel on the front door. Available in both Weathershield™ TC and 68D materials.



Cross AIR TC Drive-Away Awning

- Width: 3000 mm
- Depth: 3000 mm
- Tunnel width: 3000 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2400 mm
- Weight: 21.30 kg
- Pack Size: 760 x 380 x 380 mm


Ref. No. 9120002171



Cross AIR Drive-Away Awning

- Width: 3000 mm
- Depth: 3000 mm
- Tunnel width: 3000 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2400 mm
- Weight: 16.15 kg
- Pack Size: 760 x 350 x 350 mm

Ref. No. 9120001236



Cross AIR TG

Equipped for adventure

The Cross AIR TG is pitched at the rear of your campervan, allowing the living area of the van to flow smoothly into the awning. The innovative Weathershield 68D material ensures weight and pack size is kept to a minimum, while the sturdy Multi-Point Inflation AIR Frame ensures a quick set-up and








Drive-Away Awning

- Width: 2700 mm
- Depth: 2700 mm
- Tunnel width: 2700 mm
- Tunnel depth: 1500 mm
- Connection Height: 1800 2100 mm
- Height at front: 2400 mm
- Weight: 15.2 kg
- Pack Size: 760 x 350 x 350 mm

Ref. No. 9120001237





Multi-Point Inflation

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Wet Weather Entrance

Provides sheltered access to the awning and prevents rain running in when you unzip the door.



Zip-Out Panels

Both side panels can be zipped out to reduce weight and to open the awning up veranda style.



Multi-Point Inflation

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



Zip-Out Panels

Both side panels can be zipped out to reduce weight and to open the awning up veranda style.

Action

Embrace the outdoors

Ideal for campers who are always on the go. The Action AIR is a free-standing awning allowing you to drive-away while still reserving your pitch on site. Boasting a spacious living area and full-height windows with privacy blinds, the awning comes with a fully waterproof clip-in groundsheet and a large protective canopy.














Action AIR Drive-Away Awning

- Width: 2900 mm • Depth: 2700 mm
- Tunnel width: 2900 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 14.83 kg
- Pack Size: 680 x 360 x 340 mm


Ref. No. 9120001238

















- Tunnel width: 2900 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 13.01 kg

₩D € 680

Action

• Pack Size: 720 x 300 x 270 mm

Ref. No. 9120001240





Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



Wet Weather Entrance

Provides sheltered access to the awning and prevents rain running in when you unzip the door.



Mesh Front Door

A large mesh panel behind the front door adds ventilation and comfort in hot weather.



The Trip guarantees a fast set-up and take-down, even when touring solo. Packed with features including a large wet weather entrance, two fullheight windows with roll down blinds and a generous roll-to-side front door. The connecting tunnel has a convenient side door for easy access. Fibreglass and AIR Frame models are available.















Trip AIR

Drive-Away Awning

- Width: 2900 mm
- Depth: 1800 mm
- Tunnel width: 2900 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm • Height at front: 2050 mm
- Weight: 11.75 kg
- Pack Size: 720 x 320 x 320 mm

Ref. No. 9120001239













- Depth: 1800 mm
- Tunnel width: 2900 mm
- Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm Weight: 9.95 kg
- Pack Size: 700 x 240 x 240 mm

Ref. No. 9120001241







Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



Mesh Front Door

A large mesh panel behind the front door adds ventilation and comfort in hot weather.



Clip-In Groundsheet

Clip-in the groundsheet to add underfoot comfort and protect from inclement weather.





Tailgater AIR

Hit the road

Benefiting from the convenient multi-point inflation Kampa AIR Frame, Tailgater AIR is quick to set up and completely free-standing. The awning is ideal for family SUVs and when packed away, fits easily in almost all car trunks. Simply detach the Tailgater AIR from your vehicle and leave it to reserve your pitch while you drive to your next activity.












Tailgater AIR Drive-Away Awning

- Width: 3050 mm
- Depth: 2150 mm
- Connection width: 1600-2200 mm
- Connection Height: 1600 2100 mm
- Height at front: 2150 mm
- Weight: 12.75 kg
- Pack Size: 700 x 350 x 350 mm

Ref. No. 9120001230

Optional Inner Tent Ref. No. 9120001306



Tailgater

Designed for the outdoors

A universal fit awning for vehicles with a rear tailgate such as SUVs, MPVs, crossovers, large estate cars and pick-up trucks fitted with a hardtop. Weathershield[™] 68D material ensures lasting durability and easy handling. Simply clip-in the optional two-berth inner tent to accommodate guests. Easy to attach and disconnect, conveniently zip close the Tailgater while you go out and explore.





Tailgater


Drive-Away Awning

- Width: 2400 mm
- Depth: 2400 mm
- Connection width: 1600-2200 mm
- Connection Height: 1600 2100 mm
- Height at front: 2250 mm
- Weight: 11.15 kg
- Pack Size: 690 x 250 x 230 mm

Ref. No. 9120001231

Optional Inner Tent

Ref. No. 9120001249



Multi-Point Inflation

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Wet Weather Entrance

Provides sheltered access to the awning and prevents rain running in when you unzip the door.



Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.

Fleece Carpets

Fleece Carpet To Fit	Ref. No.
Cross	9120002001
Cross TG	9120002002
Action	9120002003
Trip	9120002004
Tailgater AIR	9120002005
Tailgater	9120002006
Touring	9120002011
Sprint	9120002012

Footprints

Footprint To Fit	Ref. No.
Cross	9120000132
Cross TG	9120000133
Action	9120000134
Trip	9120000135
Sprint Air	9120002000
Tailgater AIR	9120000142
Tailgater	9120000143
Touring	9120001272





Inner Tents

Inner Tents To Fit	Ref. No.
Action	9120001305
Tailgater AIR	9120001306
Tailgater	9120001249



Technical Data



Drive-Away Awnings













	Touring	AIR TC	Touring AIR		Sprint AIR
Ref.	LH: 9120002167	RH: 9120002168	LH: 9120002169	RH: 9120002170	9120001999
Awning width (mm)	610	00	610	00	2800
Awning depth (mm)	28	00	28	00	1550
Highest point at front (mm)	210	00	210	00	2000
Connection height (mm)	1800 -	2100	1800 -	- 2100	1800 - 2100
Pack size (L x W x H mm)	740 x 48	30 x 450	780 x 41	10 x 410	720 x 320 x 300
Weight (kg)	29.	45	22.	.19	12.08
Material	Weathersl	nield ™ TC	Weathersh	ield ™ 68D	Weathershield [™] 68D
Key features					
SabreLink™ Flex ready		•	•	•	•
Cable entry point	•	•	•	•	•
Multi Point Inflation		•		•	
Roll-to-side front panels		•	•		•
Blinds	•	•	•		•
Door in tunnel	•	•	•		•
Scope of delivery					
Inner tent	•	•	•	•	-
Hand pump	•	•	•	•	•
Canopy pole	-	-		-	•
Peg pack			•		•
Carry bag			•		•
Optional extras					
Annexe	-	-	-	-	-
Carpet	91200	02011	91200	02011	9120002012
Footprint	91200	01272	91200	01272	9120002000

Cross AIR TC	Cross AIR	Cross AIR TG
9120002171	9120001236	9120001237
3000	3000	2700
3000	3000	2700
2400	2400	2400
1800 - 2100	1800 - 2100	1800 - 2100
760 x 380 x 380	760 x 350 x 350	760 x 350 x 350
21.3	16.15	15.2
Weathershield ™ TC	Weathershield [™] 68D	Weathershield ™ 68D
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	-	-
•	•	•
•	•	•
•	•	•
•	•	•
9120001242 (Weathershield 68D Material)	9120001242	9120001242
9120002001	9120002002	9120002002
9120000132	9120000132	9120000133

12— kampaoutdoors.com

Technical Data



Drive-Away Awnings





	Tailgater AIR	Tailgater
Ref.	9120001230	9120001231
Awning width (mm)	3050	2400
Awning depth (mm)	2150	2400
Highest point at front (mm)	-	-
Connection height (mm)	1600 - 2100	1600 - 2100
Pack size (L x W x H mm)	700 x 350 x 350	690 x 250 x 230
Weight (kg)	12.75	11.15
Material	Weathershield [™] 68D	Weathershield ™ 68D
Key features		
SabreLink™ Flex ready	•	-
Cable entry point	•	•
Multi Point Inflation	•	-
Roll-to-side front panels	•	•
Blinds	•	•
Door in tunnel	-	-
Scope of delivery		
Hand pump	•	-
Canopy pole	x 2	x 2
Pole set	-	•
Peg pack	•	•
Carry bag	•	•
Optional extras		
Fleece carpet	9120002005	9120002006
Inner tent	9120001306	9120001249
Footprint	9120000142	9120000143

Annexe



	Cross AIR Annexe
Ref.	9120001242
Product width (mm)	2400
Product depth (mm)	1700
Height at rear (mm)	1570
Connection height (mm)	1700
Pack size (L x W x H mm)	540 x 240 x 240
Weight (kg)	4.64
Material	Weathershield [™] 68D
Scope of delivery	
Inner tent	•
Peg pack	•
Carry bag	•









Action AIR	Action	Trip AIR	Trip
9120001238	9120001240	9120001239	9120001241
2900	2900	2900	2900
2700	2700	1800	1800
2050	2050	2050	2050
1800 - 2100	1800 - 2100	1800 - 2100	1800 - 2100
680 x 360 x 340	720 x 300 x 270	720 x 320 x 320	700 x 240 x 240
14.83	13.01	11.75	9.95
Weathershield [™] 68D	Weathershield ™ 68D	Weathershield ™ 68D	Weathershield ™ 68D
•	_	•	_
•	•	•	•
•	_	•	_
•	•	•	•
•	•	•	•
•	•	•	•
	_	•	_
		_	_
_	•	_	•
	•	•	•
•	•	•	•
		-	•
9120002003	9120002003	9120002004	9120002004
9120001305	9120001305	-	-
9120000134	9120000134	9120000135	9120000135

Inner Tents

	Action	Tailgater AIR	Tailgater
Ref.	9120001305	9120001306	9120001249
Product length (mm)	2000	1900	2200
Product width (mm)	1400	1300	1300
Product height (mm)	1850	2000	2100
Pack size (L x W x H mm)	610 x 130 x 55	380 x 400 x 60	380 x 380 x 60
Weight (kg)	1.59	1.21	1.35
Material	Breathable polyester	Breathable polyester	Breathable polyester
Scope of delivery			
Innertent	•	•	•
Carry bag	•	•	•

14— kampaoutdoors.com
Together Outdoors — 15

